



Standard finials

All our finials are available in natural zinc and copper.

All finials of a height up to 1.20 m are delivered with a long screw ref 4503.



3412

Reference	Height (cm)	Base in mm			Rod diameter (mm)	Diameter of the sphere or largest repoussé-work (mm)	Finial for weather vane	Indicative gable height (m)	Aspects
		Base	Height	Top					
3412	90	140 x 140	200	Ø 80	16	Ø 150	■	5 to 9	<div style="display: flex; justify-content: space-between; align-items: center;"> ■ Natural zinc ■ Copper </div>
	180	200 x 200	380	Ø 140	18	Ø 240	■ ■	12 to 18	
3463	45	110 x 110	130	Ø 70	16	Ø 102		3 to 4	
	60	125 x 125	155	Ø 70	16	Ø 106		4 to 6	
	90	140 x 140	205	Ø 85	16	Ø 121	■	5 to 9	
	120	160 x 160	255	Ø 100	18	Ø 137	■	10 to 15	
3701	100	125 x 125	180	Ø 72	18	Ø 127	■	6 to 10	
	150	175 x 175	260	Ø 100	18	Ø 172	■ ■	12 to 15	
	190	240 x 240	350	Ø 138	30	Ø 252	■ ■	15 to 20	
4015	100	123 x 123	314	123 x 123	16	Ø 133		6 to 10	
	160	184 x 184	470	184 x 184	18	Ø 200	■ ■	12 to 15	
4060	30	60 x 60	100	Ø 40	-	80		3 to 4	
	40	75 x 75	135	Ø 50	-	100		3 to 4	
	50	105 x 105	165	Ø 60	16	130		4 to 6	
	60	135 x 135	192	Ø 80	16	150		4 to 6	
	80	160 x 160	245	Ø 112	16	220		5 to 9	
	100	200 x 200	315	Ø 147	18	300		6 to 10	
4062	50	100 x 100	110	Ø 52	16	80 and 100		4 to 6	
	70	130 x 130	145	Ø 71	16	90 and 145		5 to 9	
	90	160 x 160	190	Ø 80	16	130 and 190		5 to 9	
4063	45	85 x 85	120	Ø 51	16	Ø 102		3 to 4	
	70	125 x 125	175	Ø 81	16	Ø 140		5 to 9	
	90	140 x 140	240	Ø 81	16	Ø 172	■	5 to 9	
	120	160 x 160	250	Ø 81	18	Ø 172	■	10 to 15	

■ Finial for weathervane ■ Finial for weathercock

For finials to be properly fixed, it is essential to install them on a fixing rod:

- Finials up to a height of ≤ 1.20 m, long screw delivered with the finial
- Finials of a height > 1.20 m, plan for a fixing rod suitable for the support.

Standard finials



3463



3701



4060



4063



4015




4062

Standard finials



4067

4064



Finial glossary

Ref.	Height (cm)	Base (mm)			Rod diameter (mm)	Sphere diameter of the largest repoussé-work (mm)	Finial for weathervane	Indicative gable height (m)	Aspects
		Base	Height	Top					
4064	120	135 x 135	190	Ø 85	18	Ø 140	■	10 to 15	<div style="display: flex; justify-content: space-between;"> ■ Natural zinc ■ Copper </div>
	145	165 x 165	250	Ø 90	18	Ø 187	■ ■	12 to 15	
	175	200 x 200	300	Ø 120	18	Ø 235	■ ■	12 to 18	
4067	100	135 x 135	185	Ø 80	18	160	■	6 to 10	
	120	160 x 160	245	Ø 112	18	220	■	10 to 15	
	150	200 x 200	300	Ø 147	18	300	■ ■	12 to 15	

■ Finial for weathervane
■ Finial for stamped cockerel

Standard finials, pinnacles and flames

Square finials

All square finials are assembled with a fixing rod.



3481



4115

Ref.	Height (cm)	Base (mm)			Dimension of the biggest shape (mm)	Indicative gable height (m)	Aspects
		Base	Height	Top			
3481	80	125 x 125	210	79 x 79	160 x 160	5 to 9	<input type="checkbox"/> Natural zinc <input type="checkbox"/> Copper <input type="checkbox"/> QUARTZ-ZINC® <input type="checkbox"/> ANTHRA-ZINC® <input type="checkbox"/> AZENGAR®
	100	150 x 150	260	100 x 100	200 x 200	6 to 10	
	125	190 x 190	320	124 x 124	250 x 250	10 to 15	
	150	213 x 213	128	150 x 150	300 x 300	12 to 15	
4115	65	220 x 220	254	130 x 130	240 x 240	4 to 6	

Pinnacle finials

All pinnacle finials are delivered with a long screw ref 4503.

For finials to be properly fixed, it is essential to install them on a fixing rod:

- Finials up to a height of ≤ 1.20 m, long screw delivered with the finial
- Finials of a height > 1.20 m, plan for a fixing rod suitable for the support.



3601



4146





Reference	Height (cm)	Base (mm)		Aspects
		Base	Height	
3601	30 and 40	150 x 150	50	<input type="checkbox"/> Natural zinc <input type="checkbox"/> Copper
4146	60	200 x 200	80	

Finials

Modified bases

All standard finials can be manufactured with a special base.
Please provide base dimensions in mm.

Modified bases




Bespoke bases

Bespoke bases can also be manufactured (contact us).





Fixation rods


Base rod assembly



Long screw assembly



- 1 Catch hook
- 2 Weather proofing
- 3 Finial
- 4 Base rod
- 5 Base
- 6 Hasp
- 7 Punch
- 8 Weld
- 9 Rafter
- 10 Long screw
- 11 Ridge
- 12 Roof
- 13 Ridge purlin



Reference	Height (cm)	Diameter (mm)
4501	50	16
	100	16
	120	18
	150	18
	175	18
4503	200	30
	50	16
	100	16

